



## MATERIAL SAFETY DATA SHEET

350 RING ROAD ELIZABETHTOWN, KY 42701 (270) 769-5557 (270) 769-6418

### DISC BRAKE QUIET PART NO. 49661

#### SECTION I – IDENTITY INFORMATION

Product Name : Disc Brake Quiet

#### SECTION II – HAZARDOUS INGREDIENTS

<u>INGREDIENTS</u>	<u>CAS #</u>	<u>ACGIH</u> <u>TLV</u>	<u>OSHA</u> <u>PEL</u>	<u>OTHER</u> <u>LIMITS</u>	<u>WT (%)</u>
Acrylic Polymer	N/A	N/A			57
*Ethylene Glycol	107-21-1	50 ppm		Ceiling	2
Pigment	-	N/A	N/A		<1
Water	7732-18-5	N/A	N/A		40

*\*ALL CHEMICAL COMPOUNDS MARKED WITH AN (\*) ASTERISK ARE SUBJECT TO THE REPORTING REQUIREMENTS UNDER SECTION 313 OF SARA TITLE III.*

#### SECTION III – PHYSICAL DATA

Boiling Point : 212<sup>0</sup>F  
Freezing Point : 32<sup>0</sup>F  
Specific Gravity (H<sub>2</sub>O=1) : 1.0487  
Vapor Density (Air=1) : N/D  
Solubility : May be dispersed with water.  
Evaporation Rate (H<sub>2</sub>O=1) : N/D  
% Volatile : 40  
Appearance and Odor : Red paste, acrylic odor.

#### SECTION IV – FIRE AND EXPLOSION HAZARD DATA

Flash Point (Method Used) : None (TCC)  
Flammable Limits : Lower - N/A Upper - N/A  
Extinguishing Media : None  
Unusual Hazards : None

#### SECTION V – REACTIVITY DATA

Stability : Good - becomes rubbery solid as water evaporates.  
Hazardous Decomposition : Dried film would burn giving off carbon dioxide and carbon monoxide.

Materials to avoid : N/A

## SECTION VI – HEALTH HAZARD DATA

Primary Route(s) of Entry : Skin  
ACUTE OVEREXPOSURE:  
Skin : Can cause mild transient rash on prolonged exposure.  
Eye Contact : Mildly irritating.  
Chronic Over Exposure : N/A  
Medical Conditions Generally Aggravated by Exposure : N/A  
CHEMICAL LISTED AS CARCINOGEN OR POTENTIAL CARCINOGEN:  
National Toxicology Program : No  
IARC Monographs : No  
OSHA : No  
EMERGENCY AND FIRST AID PROCEDURES: *(If Symptoms Persist, Call a Physician)*  
Inhalation : Remove to fresh air.  
Eyes : Wash thoroughly with large amounts of water.  
Skin : Wash and rinse thoroughly.  
Ingestion : Induce vomiting. Call a physician.

## SECTION VII – SPILL OR LEAK PROCEDURES

Precautions to be taken in Handling and Storage : Store in a cool, dry area.  
Steps to be Taken if Material is Released or Spilled : Material does not flow and would be difficult to spill.  
Waste Disposal Method : All used and unused product should be disposed of in conformance with local, state and federal regulations.

## SECTION VIII – SPECIAL PROTECTION INFORMATION

Respiratory Protection : None required  
Ventilation : Not normally required  
Protective Gloves : Not usually required  
Eye Protection : Safety glasses  
Other Protective Equipment : None normally needed

## SECTION X – HAZARD COMMUNICATION CODES

NFPA RATINGS:  
Health : 1  
Flammability : 0  
Reactivity : 0

The Information Contained Herein is Based on Data Considered Accurate. However, No Warranty is Expressed or Implied Regarding the Accuracy of the Data or the Results to be Obtained From the Use Thereof. Because the Information Contained Herein may be Applied Under Conditions Beyond Our Control, We Assume No Responsibility For Its Use.

**Rev. 2/21/00**